MINERAL SURVEY No. 3682

FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Charles W Perysall KNOWN AS THE Anne howise, & Cousin Jane lodes By Bug Mining District, Yaxapai County, Arizona ion 9410, Township 13 M., Range 1 E Surveyed under instructions dated June 16, 1920 by Pichard J Menth U. S. Mineral Surveyor.
KNOWN AS THE Anna houise, & Cousin Jane lodes Big Bug Mining District, Yarapal County, Arizona ion 9410, Township 13 K, Range 1 E Surveyed under instructions dated June 16, 1920 by Pichard J Menth U. S. Mineral Surveyor.
KNOWN AS THE Anna houise, & Cousin Jane lodes Big Bug Mining District, Yarapal County, Arizona ion 9410, Township 13 K, Range 1 E Surveyed under instructions dated June 16, 1920 by Pichard J Menth U. S. Mineral Surveyor.
KNOWN AS THE Anne howise, & Cousin Jane lodes Blg Bug Mining District, Yaxapai County, Frizona sion 9410, Township 13 N, Range 1 E Surveyed under instructions dated June 16, 1920 by Pichard J. Merrett U. S. Mineral Surveyor.
HNOWN AS THE HINDE houise, & Coursin Jane lodes Mining District, Yarapai County, Frizona Frizona Surveyed under instructions dated June 16, 1920 by Pichard J. Merutt U. S. Mineral Surveyor.
Anne houise, & Cousin Jane lodes Big Bug Mining District, Yarapai County, Arizona ion 9410, Township 13 N, Range 1 E Surveyed under instructions dated June 16, 1920 by Bihard L Merutt U. S. Mineral Surveyor.
Anne houise, & Cousin Jane lodes Big Bug Mining District, Yarapai County, Arizona ion 9410, Township 13 N, Range 1 E Surveyed under instructions dated June 16, 1920 by Bihard L Merutt U. S. Mineral Surveyor.
Anne houise, & Cousin Jane lodes Big Bug Mining District, Yarapai County, Arizona ion 9410, Township 13 N, Range 1 E Surveyed under instructions dated June 16, 1920 by Bihard L Merutt U. S. Mineral Surveyor.
Mining District, Yarapai County, Arizona ion 9410, Township 13 N, Range 1E Surveyed under instructions dated June 16, 1920 by Aichard Merutt U. S. Mineral Surveyor.
Mining District, Yarapai County, Arizona ion 9410, Township 13 N, Range 1E Surveyed under instructions dated June 16, 1920 by Aichard Merutt U. S. Mineral Surveyor.
Surveyed under instructions dated June 16, 1920 by Pichard L. Merrett U. S. Mineral Surveyor.
Surveyed under instructions dated June 16, 1920 by Pichard L. Merrett U. S. Mineral Surveyor.
Surveyed under instructions dated June 16, 1920 by Pichard Merrit U. S. Mineral Surveyor.
by Pichard L. Merrith U. S. Mineral Surveyor.
Claim located See Joseption Notices 19
Survey commenced June 28, 1926
Survey completed Tyne 29, 1920
Address of claimant Charles W Pegrsall, Presco
Anizona, Box 564
DATES OF AMENDED LOCATIONS.
Ged location Natives

Survey 3682 Anne Louise lode mest Nov. 200 00 000 Beginning at Cor. No.1 identical with the location, A Granite stone 5x8x30 ins. set 15 ins. in the ground with mound of stones chiseled 1-A L-3682. Whence the S.E.Cor. to Section 10,T 13 N, R 1 E bears S61 04 40 E 6571.75 ft. No bearings available. Location Cor. a mound stones 3x3 ft. I . AV 195 000 000000 3 9 anoligos marecementariosa dosarajal . TOO We want most Thence N57º 05' Wo was Va.14 E 300.0 To the South Center End a mound of stones 3x3 ft. identical with the location. 600.0 To Cor. No.2 identical with the location and with Cor. No 1 Cousin Jane lode of this survey, A Granite stone 5x6x24 ins. set 12 ins. in the ground with mound no depof stones, chiselled 2 A L, 1 C J, 3682. No bearings available. Location Cor. a mound of stones 3x3 ft. hereinbefore decovibed -- Tenes the S E Cor. cection 10. and of . jo es. Thence N30°22'E va.14°E 1260.0 J Cross wash 20 ft. wide course N63° E To Cor. No 3 identical with the location and with 1500.0 Cor. No 4 Cousin Jane lode this survey and with the South Center End Guarantee lode survey 3683. A Schist stone 3x8x30 ins. set 15 ins in the ground with mound of stones, chiselled x 3 A L, 4 C J, 3682. No bearings available. Location Cor. a mound of stones 3x3 ft. eldeliave anniuned oil . 2603-1-5-3-x belieting annua to Thence S57°05'E Va. 14 °E 150.0 Cross wash 20 ft. wide course N63° E. 274.74 Intersect section line between sections 9 & 10, the point for the T13 N, Roll E. at South 615.4 ft. from N W Cor. Section point for the point for the 10 and North 2024.60 from the 1 Cor. between Secs. 9 &10. 300.00 To the North Center End, identical with the location and with Cor. No 1 Guarantee, and Cor 2 Gold Standard lodes of survey 3683 A Granite stone 6x6x24 ins. set 12 ins. in the ground with mound of stones, chiselled x 1 G,

2 G S, 3683. Location Cor. a mound of stones 3x3 ft.

Feet 600.00

To Cor. No 4 identical with the location and with the South Center End Gold Standardolode Survey 3683. A Schist stone 8x8x24 ins. set 12 ins. in the ground with a mound of stones, chiselled x 4 A L 3682. No bearings available, Focation Cor. a mound of stones 3x3 ft.

Thence S30°22'W Va. 14°E

6571.75 ft. To bearing ended of . JT 67.1788

540.11

THOP I

Intersect section line between sections 9 & 10, point for the T 13 N. R 1 E at South 1258.16 ft. from the N W Cor. point for the Section 10 and north 1381.84 from the tor. between

1500.00 To Cor. No 1 the place of beginning.

Cor. No I Sousin Translate of this curv ; A Cre

The brudge Cousin Jane lode a land work and a

Beginning at Cor. No.1, identical with the location and with Cor. No 2 Anne Louise lode of this survey hereinbefore described. Whence the S E Cor. section 10, T 13 N.R 1 E bears S60° 44' 36" E 7170.38 ft. No bearings available, location Cor. a mound of stones 3x3 ft. 0.000

1500.0 To Cor. No S Identical at the location and

Thence N57°05'W Va.14°EO A of ...

300.0

To the South Center End a mound of stones 3x3 ft, identical with the location.

600.0

To Cor. No 2 identical with the location a Schist stone 3x6x24 ins. set 12 ins. in the ground with mound of stones, chiselled x 2 C J 3682. No bearings available, location Cor. a mound of stones 3x3 feet.

Thence N30°22°E Va. 14°E

3 *Salf aberga-bler, 31 02 de de macra

150.0

1500.00 To Cor. No. 3 identical with the location and with the south center end Chars. Davis lode Survey 3683, a Schist stone 3x8x30 ins. set 15 ins in the ground with mound of stones, chiselleds 3 C J 3682. No bearings available, location Cor. a mound of stones 3x3 ft.

Thence S57°05'E Va. 14°E

ties. in the ground-til-ware of stones, on selle

Feet

To the North Center End identical with the location and with Cor. No.1 Chas. Davis and Cor. No 2 Guarantee lodes survey 3683, A granite stone 8x10x24 ins. set 12 ins. in the ground with mound of stones chiselled x 1 C D,2 G,3683.Location Cor.a mound of stones 3x3 ft.

600.00 To Cor. No. 4 identical with the location and with the south center end Guarantee lode survey 3683, 4 with cer No 3 Anne houise lode This Surrey, hereinbefore described.

Thence 630°22'W Va.14°E

240.0

Cross wash 20 ft. wide course N63°E 1500.00 To Cor. No.1 the place of beginning.

voge and a constant -e. - store of the value 101.00

Total area, Anne Louise lode ---- - ----20.640 Acres. Total area, Cousin Jane lode--- -----20.640 "

LOCATION

J1 0.007 w/ggeog AREA IN 108 eog west sentrod

This claim is located in sections 9 & 10, T 13 N, R 1 E, GSR BOM. . Mel. P. U yd desn bne, ndroe, dene.

EXPENDITURE OF FIVE HUNDRED DOLLARS

Mcertify that the value of the labor and improvements made upon , or for the benefit , each of the locations embraced in said mining claim by the claimant or his grantors is not less than five hundred dollars and said improvements consist of;

Anne Louise lode:

No 1 the discovery shaft whichis on the lode line 710 ft. from the N.C.E. 5x6x30 ft. value 400.00

The following works bear from Cor. No 2.

No 2 a shaft 4x6x10 ft. value \$100.00 N56°E 292.0 ft.

No 3 a shaft 4x6x10 ft. value \$100.00 N39°E 678.0 ft. Total value of improvements credited to this lode \$600.00 Cousin Jane lode;

No 1 the discovery shaft which is on the lode line 830 ft. from the N.C.E.4x6x40 ft. value \$500.00

The following works bear from Cor. No 1.

- No. 2, N9°E-220 ft. shaft No.2 4x6x20 ft. value \$200.00
- No. 3. N12°15'W-250 ft.shaft Nov3 4x6x30 ft. value \$460.00
- No. 4, N22°30'W-258 ft.shaft No.4-4x6x10 ft. value \$100.00
- No. 5, N28° 30' W-225 ft.shaft No.5-4x6x10 ft. value \$100.00

 Total value of improvements credited to this lode \$1300.0

LODELLINES

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points;

here inverse described.

Anne Louise lode N30°22'E 710.0'& S30°22'W 790.0 ft.

Cousin Jane lode N30°22'E 830.0 ft. & S30°22'W 670.0 ft.

-- all of prof. sierol, enta listo!

ADJOINING CLAIMS

This claim is bounded on the north by Chas. Davis,
Guarantee, and Gold Standard lodes of survey 3683.0n the
east, south, and west by U.S.Land.

INSTRUMENT

This survey was made with a light mountain Gurley transit. The courses were deflected from the meridian as determined by direct solar observations. The distances were measured with a 500 ft. and a 50 ft steel tape.

manufacture and a strengton strengton and a st

REPORT CONTRACTOR OREA

The loce line of each location of this claim was run directly upon the ground, and the several corners were established by means of offsets therefrom. All tie lines were run directly upon the ground.

The S.E.Cor. section ten T 13 N, R1 E is a granite stone 9x8x14 ins above the ground in a mound of stones, chiselled 4 notches on the south side and 2 on the east.

As the S.E Cor. section 10 T 13 N, R 1 E was the land nearest cor. of the public survey that could be found the ties were made to this cor. The corners and \(\frac{1}{4} \) Cors. that determine the lines of the public survey that intersect the lines of this claim could not be found so the official notes were used in figuring the intersections.

Cichard T. Mienith
U.S. Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Richard L. Merith
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
Charles W Pegrsall
known as the Anne Louise & Cousin Jane lodes
and showing the respective capacities in which they acted.
HJ Jennings, Chainman.
, Chainman.
, Axman.
Flagman.
FINAL OATHS OF ASSIGNATION
FINAL OATHS OF ASSISTANTS.
y6, H.J. Jennings
and , do solemnly swear that we assisted Richard
L. Merrit , United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of Charles W Pearsall
known as the Anne houise & Cousin Jane lodos
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor, General for Arizona
A Jennings, Chainman.
, Chainman.
, Axman.
, Flagman,
Subscribed and sworn to by the above-named persons before me this
day of Spely , 1920
MY COMMISSION EXPIRES MAY (1992)
MY COMMISSION EXPIRES MAY 1922 Sques G. Cooping Subling

FINAL OATH OF U.S. MINERAL SURVEYOR.

I, Richard L. Menth, U. S. Mineral Surveyor,
do solemnly swear that, in pursuance of instructions received from the United States
Surveyor General for Armona
Surveyor General for Aryona, dated June 16 1925, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Charles W Pearsall
, known as the
Anne Louise & Cousin Jane lodes
situate in Big Bug Mining District, Yavapay County, Arizong, in Section
Yarapan County, Arizona, in Section
Township No. 13N, Range No. 1
and designated as Survey No. 3682 as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location, and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
(Rich of m 11
Richard. T. Merrith U. S. Mineral Surveyor.
Subscribed and sworn to by the said Tichard L. Menth
U. S. Mineral Surveyor, before me E. A. MCSWIGGIN, a Notary Public, in
and for Yavanai County Arizona
day of July A. D., 19 20.
Edward 1
10W. Whe hir and
The state of the s
NOTARY PUBLIC.

U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

		Phoeni	x, Arizona,		
			August	11	, 1920
I, U. S. Surveyor-Ge	eneral for	Dist	rict of Ariz	ona	#
do hereby certify that the					
of the mining claim of					one but vo
known as the	ANNE LO	IISE and	COUSIN JAME	Lodes	
situate in		Bir Bug		104	
Mining District,	Yavapai		County.	Arizone	
in Section S 9 & 10	, Township No.	13 N.	Range No.	1 E.	and
designated as Survey No.	3682	, has beer	correctly copied fr	om the original	g on file in
this office; that said Field	d Notes furnish s	such an accura	te description of sa	id mining claim	o on mill in
incorporated into a patent	, serve fully to id-	entify the pre	mises, and that such	reference is me	de there
to natural objects or perm	anent monument	s as will perpe	etuate and fix the lo	we thoroof	de therein
And I further certify	that five hundr	ed dollars' we	orth of labor has be	on server le l	
ments made upon said mi	ning claimSov cla	simant or	11S constant	en expended of	· 1mprove-
consist of 8 shefts	total val	ue \$1900	grantors, and	that said impi	rovements
and that no portion of said	labor or improv	ements has be	een included in the	estimate of expe	enditures
pon any other claim.					
I further certify that the	e plat thereof, fi	led in the U.	S. Land Office at	Phoenix.	
Arizone,	is correct an	d in conformi	ty with the foregoin	g Field Notes	**********
			Frank P.	Trott	
	United Sta	ites Surveyor-G	eneral for	Arizona	

SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

		Phoenix, Ari	zona,	
	# * / · · ·		ugust 11	, 19 20.
I, U. S. Surveyor Ger	neral forD	istrict of	Arizona	
	foregoing and hereto attach			
	Charles W.	Pearsall		
A NI	E LOUISE and COU	SIN JANE Loc	les	
	Big Bug			
	County, .			
	, Township No			
, desig	nated as Survey No	36	82	
	Richard L. Merritt			
Surveyor,	June 28 - 29	, 1920	, under my inst	ructions dated
	, 1920, have b			
	nade, and the said Field No			
are hereby approved. The	certified copy of the location	certificate filed b	by the applicant	for survey is
	ne copy of said certified copy			
part of the transcript of t				
	A	and E	Dett of	1

U.S. Surveyor General for _____Arizone.